


## Алюминиевый стандартный профиль


Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Уголок равносторонний




№ П/П	№ проф.	A	B	C	R1	R2	R3	R4	R5	R6	вес (кг/м)	P, см
1	N0916	15	15	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.12	5.94
2	P8047	20	20	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.16	7.94
3	N0430	25	25	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.2	9.94
4	N0292	25	25	2	0.3	0.3	0.3	0.3	0.3	0.3	0.26	9.94
5	P8012	30	30	2	0.3	0.3	0.3	0.3	0.3	0.3	0.31	11.87
6	N0145	40	40	2	0.2	0.2	0.2	0.2	0.2	0.2	0.42	15.94
7	N0675	40	40	3	0.3	0.3	0.3	0.3	0.3	0.3	0.62	15.94
8	N0201	45	45	2	0.3	0.3	0.3	0.3	0.3	0.3	0.47	17.92
9	N0945	50	50	2	0.2	0.2	0.2	0.2	0.2	0.2	0.53	19.94
10	N1313	50	50	5	0.6	0.6	0.6	0.6	0.6	0.6	1.28	19.87

### Уголок разносторонний



№ П/П	№ проф.	A	B	C	R1	R2	R3	R4	R5	R6	вес (кг/м)	P, см
1	N0180	8	20	2	0.3	0.3	0.3	0.3	0.3	0.3	0.14	5.54
2	N0672	10	15	2	0.2	0.2	0.2	0.2	0.2	0.2	0.12	4.94
3	N0673	10	20	2	0.2	0.2	0.2	0.2	0.2	0.2	0.15	5.94
4	N0462	15	25	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.16	7.94
5	N0539	20	25	1.5	0.3	0.3	0.3	0.3	0.3	0.3	0.18	8.94
6	N0006	20	30	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.16	9.94
7	P8005	20	30	2	0.3	0.3	0.3	0.3	0.3	0.3	0.26	9.87
8	N0674	20	40	2	0.2	0.2	0.2	0.2	0.2	0.2	0.31	11.94
9	N0358	25	40	3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	12.94
10	N0359	30	60	3	0.3	0.3	0.3	0.3	0.3	0.3	0.7	17.94
11	N0202	40	60	4	0.4	0.4	0.4	0.4	0.4	0.4	1.04	19.90
12	N0203	40	80	4	0.4	0.4	0.4	0.4	0.4	0.4	1.25	23.90
13	N0204	40	100	4	0.4	0.4	0.4	0.4	0.4	0.4	1.47	27.90
14	N0205	40	120	4	0.4	0.4	0.4	0.4	0.4	0.4	1.68	31.90
15	N0206	40	140	4	0.4	0.4	0.4	0.4	0.4	0.4	1.9	35.90

### Тавр




№ П/П	№ проф.	A	B	C	R1	R2	R3	R4	вес (кг/м)	P, см
1	N0357	40	40	3	0.3	0.3	0.3	0.3	0.62	15.92
2	N0200	80	50	2	0.3	0.3	0.3	0.3	0.69	25.90
3	N0146	100	50	2	0.3	0.3	0.3	0.3	0.8	29.92
4	N1432	50	70	2	0.25	0.25	0.25	0.25	0.64	23.91

## Алюминиевый стандартный профиль


Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Трубы квадратные




№ П/П	№ проф.	A	B	C	R1	R2	вес (кг/м)	P, см
1	N0630	18	18	1.5	0.2	0.2	0.27	7.16
2	P7470	20	20	1	0.3	0.3	0.21	7.95
3	N0123	20	20	1.5	0.3	0.3	0.3	7.95
4	N0676	25	25	1.5	0.3	0.3	0.38	9.96
5	N0137	25	25	2	0.5	0.5	0.5	9.95
6	P8359	40	40	3	0.3	0.3	1.2	15.91
7	N0144	50	50	2	0.3	0.3	1.04	19.95
8	P8361	60	60	3	0.3	0.3	1.85	23.91
9	N1316	50	50	3	0.3	0.5	1.52	19.91

### Трубы прямоугольные




№ П/П	№ проф.	A	B	C	R1	R2	вес (кг/м)	P, см
1	N0124	40	20	2	0.3	0.3	0.60	11.96
2	N0631	30	18	1.5	0.2	0.2	0.36	9.56
3	N1315	80	60	4	0.3	0.5	2.85	27.91

### Полоса (шина)




№ П/П	№ проф.	A	B	R1	R2	вес (кг/м)	P, см
1	50x5	50	5	0.3	0.3	0.68	11
2	60x6	60	6	0.3	0.3	0.97	13.2
3	80x6	80	6	0.3	0.3	1.3	17.2
4	100x8	100	8	0.3	0.3	2.16	21.6

### Трубы круглые



№ П/П	№ проф.	D	Y	вес (кг/м)	P, см
1	R12x1.0	12	1.0	0.10	3.77
2	R16x1.5	16	1.5	0.18	5.02
3	R18x1.0	18	1.0	0.15	5.65
4	R18x1.5	18	1.5	0.21	5.65
5	R18x2.9	18	2.9	0.37	5.65
6	R25x1.0	25	1.0	0.21	7.85
7	R25x1.5	25	1.5	0.30	7.85
8	R30x1.0	30	1.0	0.25	9.42
9	R30x2.0	30	2.0	0.48	9.42
10	R32x1.0	32	1.0	0.27	10.05
11	R35x1.2	35	1.2	0.35	10.99




### Труба ролетная

№ П/П	№ проф.	D	Y	вес (кг/м)	P, см
1	N0112	19	1	0.16	11.76

## Алюминиевый стандартный профиль


Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль для рамок



№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	P6212	17.4	11.5	6.1	0.14	8.16
2	N0344	32	16.5	8	0.30	15.45
3	N0345	36	16.5	1.5	0.28	13.59
4	N0346	26.9	8	2.1	0.16	8.45
5	N0397	21.1	12.2	11.3	0.13	9.71

### Профиль для натяжных потолков



№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0033	31.85	30.7	5.2	0.23	12.38
2	N0062	26.2	27.8	5.4	0.25	11.35
3	N1122	31.85	10.35	5.2	0.18	12.61
4	N1139	24.4	25.6	5.3	0.21	10.55

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748


### Профиль торговый

№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0336	25	25	5.5	0.39	15.68
2	N0335	40	16	5.5	0.42	18.77
3	N0334	40	16	5.5	0.40	17.18
4	N0887	40	28	5.8	0.57	27.07
5	P6036	30	30	8	0.53	18.30
6	N0013	50.4	25	10	0.68	22.27
7	N0014	50.4	25	10	0.76	28.95
8	N0303	30	30	8	0.59	26.57
9	N0142	10.9	50.6	60.3	0.52	26.04

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль рекламный




№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0649	78	55	16.6	0.95	38.33
2	B4158	10	3.8	5.6	0.29	2.92
3	N0650	18.1	15.2	11	0.34	9.66
4	P6209	100	10	2.0	0.77	26.85
5	N0273	95	13.1	4.7	0.62	32.35
6	N0225	170	20	5	1.96	63.04
7	N0068	60	7	35.5	0.44	18.30
8	N0274	100	10	2.0	0.77	26.85
9	P6066	60	6.5	3	0.39	17.85
10	N0266	37	17.8	10.3	0.21	11.17
11	N0267	32.7	7	3.2	0.30	13.13

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль рекламный




№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
12	N0128	29	24	2.3	0.27	10.08
13	N0094	29	7	3	0.29	11.71
14	N0127	25	17	3	0.23	10.71
15	N0069	25	17	4.25	0.24	11.19
16	N0122	30	25	3	0.40	15.73
17	B3104	10.5	7	3	0.11	5.57
18	B3379	10.5	7	3	0.10	5.41
19	N0268	16	10.5	3.20	0.18	9.15
20	N0093	16	16	3.25	0.28	10.77
21	N0126	13.5	8.25	4.25	0.14	6.93
22	N0557	16	10.25	6.15	0.17	8.33

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль для шкафов-купе




№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0337	32	26.5	10	0.55	17.19
2	N0582	32.1	26.5	10	0.4	16.81
3	N0339	22	15	10.2	0.28	12.55
4	N0341	18	12.4	10.2	0.14	9.25
5	N0340	82	40	37.6	0.72	40.18
6	N0338	57	15	10.2	0.55	26.53
7	N0342	60.2	6	28	0.29	18.3
8	B3518	19	7.8	5.5	0.09	6.36
9	B3808	18	7.8	5.5	0.09	6.16

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль для грязеочистительных систем




№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0271	27	19	8.5	0.27	16.48
2	N0420	46	8.4	32	0.33	14.35
3	N0494	47.4	20	30	0.46	14.54
4	N0495	40	15	11.5	0.28	13.58
5	N0496	23	6	3	0.21	5.74
6	N0473	23	19	25	0.29	17.04
7	N0497	94	5	30	0.69	22.79

## Алюминиевый стандартный профиль


Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль автотранспортный




№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0179	20	18	2.5	0.14	4.59
2	N0181	20	12	58	0.17	6.83
3	N0184	29	18.5	9.5	0.62	14.93

### Профиль климатизации



№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N0393	95	7.6	15	0.85	23.22

### Профиль "Москитная сетка"



№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N1427	31.5	10.7	15.7	0.15	9.43

## Алюминиевый стандартный профиль

Материал EN AW - 6060 AlMgSi 0,5 PN - EN 755 - 9 DIN 1748

### Профиль радиаторный

№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	N1414	42	26	20	1.19	28.47
2	N1415	92	26	20	2.52	57.22
3	N1416	72	26	20	1.99	45.72
4	N1417	122	26	20	3.32	74.48

### Профиль разный

№ П/П	№ проф.	A	B	C	вес (кг/м)	P, см
1	P8201	60	40	2.5	0.91	27.33
2	N0143	80	60	3.0	1.08	30.57
3	N1314	40	50	5.0	1.64	24.70
5	N1420	16	16	8.5	0.54	6.31
6	N1421	20	20	8.0	0.94	7.91